Conditions.

1. Each bidder shall place a deposit of Rs. 200 with the officer conducting the sale, but defaulters to the department will not be allowed to bid at the sales.

In the case of purchasers of timber not exceeding Rs. 200 in value, full value thereof will be accepted if tendered on the spot and the payment of deposit in such cases will not be insisted upon.

2. Any person bidding at the sale may be required by the officer conducting the sale to state whether he is bidding on his own behalf or as an agent, and in the latter case, to produce a written authority duly signed by the principal.

3. The highest bidder shall ordinarily be the purchaser, but the officer conducting the sale can reject any bid or stop the sale at any stage without assigning any reason to the intending purchasers.

4. Immediately after the lot is knocked down to him, the successful bidder shall sign his name opposite the number and specification of the lot bought by him in a book provided for the purpose. Such signature shall be held as admission on his part of having bought such lot and of having accepted the terms of the sale as herein specified. All sales of which the amount exceeds Rs. 1,000 in each case, is subject to the confirmation of the Conservator and in other cases to that of the District Forest Officer.

5. After conclusion of the sale, each purchaser shall pay 10 per cent of the amount in cash to the officer conducting the sale and obtain in return from him a receipt vouching for the payment of the one-tenth value as well as the initial deposit of Rs. 200. Should any purchaser fail to comply with this rule, the initial deposit of Rs. 200 shall at once be forfeited to Government and the officer conducting the sale shall be at liberty to resell the timber purchased by such defaulter who shall be required to make good any loss, but shall not participate in any profit from such resale. The amount due by such defaulter on account of loss from resale shall be recovered from him as a revenue demand under Section 79 of the Mysore Forest Regulation. In calculating such losses, the initial deposit forfeited to Government shall not be taken into account.

6. The deposits tendered by the unsuccessful bidders shall be returned immediately after the sales are concluded, those of successful bidders being lodged in the Savings Bank as security deposit.

7. The full value of all timber purchased shall be paid for within 30 days after the date of sale or within 15 days after the date of notice of confirmation of the sale, whichever is later. In the case of purchasers of above Rs. 1,000 in value, the purchaser shall be permitted to pay up the balance in instalments of not less than Rs. 1,000 provided the full value is paid not later than the 15th May 1937. The money shall be paid into such treasury as the District Forest Officer may direct, within the time specified.

Ordinarily, no extension of time will be given for the payment of any amount, but if any amount is permitted to be paid after the due date, interest will be charged thereon at 6¼ per cent per annum.

8. If the amount is not fully paid for by the purchaser before the dates fixed above, the initial deposit as well as the other moneys already paid in shall be forfeited to Government and all or any portion of the timber not fully paid for shall be resold at the risk of the purchaser in the manner prescribed for default of payment of one-tenth value in clause 5 *supra*.

9. No timber lot shall be permitted to be removed by the purchaser unless it has been paid for in full, calculated at the rates at which the timber is knocked down to him at the time of sale, excluding the 10 per cent deposit paid for the lot at the time of the sale; and no timber shall be removed from the depot unless a permit is obtained from the Forest Officer in charge of the depot. The earnest money will not be adjusted towards the value of timber until 90 per cent of the purchase money over and above the security deposit has been paid.

10. Timber purchased should be removed as early as possible, and in no case should it be allowed to remain longer than 90 days after the dates fixed in clause 7 *supra*. Timber not removed after purchase will remain in the depot at the risk of the purchaser from the date of the confirmation of the sale.

11. If the timber is not removed within the time allowed, the same may, after ten days' notice to the purchaser, be sold in public auction and the proceeds will be given to the purchaser after defraying all the expenses in connection with the resale.

12. The deposit of Rs. 200 will remain as security for the due fulfilment of all and every one of the terms of sale, for the breach of any of which by the purchaser, the District Forest Officer shall be entitled to forfeit the deposit in whole or in part and in the event of such forfeiture, the sum so forfeited shall be immediately made good by the purchaser so long as the transaction is not finally closed. The security deposit or the balance thereof, if any, shall be returned to the purchaser after the full value of timber purchased has been paid for and the timber fully removed.

M. G. VENKATA RAO,
District Forest Officer.

ENGINEERING DEPARTMENT

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Abstract Notification dated 27th January 1937.

The attention of the public is hereby invited to the notification, dated 26th January 1937, calling for tenders for the work of constructing drains in Goribidnur Town published in pages 156-157, Part VI of the *Mysore Gazette*, dated 4th February 1937.

The last date of receiving tenders is fixed on 19th February 1937.

Abstract Notification dated 4th February 1937.

The attention of the public is invited to the notification, dated 30th January 1937, calling for tenders for the work of constructing drains in Tumkur Town, published in pages 193-194, Part VI of the *Mysore Gazette*, dated 11th February 1937.

The last date for receiving tenders is 27th February 1937.

Notification dated 6th February 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 26th February 1937, for providing sanitary fittings to the lavatories at the New Telephone Exchange Building, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of March 1937.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 60 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for providing sanitary fittings to the lavatories at the New Telephone Exchange Building, Bangalore," in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer in Mysore, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Health will be final and legally binding.

Approximate estimate of quantities of work for providing sanitary fittings to the lavatories at the New Telephone Exchange Building, Bangalore.

No.	Particulars	Unit	Quantity
	Soil, Waste and Water connections.		
1	Providing 4" C.I. soil pipe with specials such as inverts, bends, offsets and junctions, etc., laying and jointing with lead including scaffolding	R.ft.	196
2	Do 3" waste pipe as above	,,	116
3	Do 2" for anti-siphon	,,	64
4.	Providing and fixing 3" and 4" diameter zinc ornamental cowls ..	No.	5
5	Fixing water closets, Hindustani closets and lavatories, complete set	,,	11
6	Do accessories	,,	8
7	Painting white enamel paint to all C. I. and pipe fittings—3 coats	,,	11

No.	Particulars	Unit	Quantity
8	Providing 4″ lead pipe, bending and fixing and making wiped solder joints including providing and fixing brass thimbles and tales casted	No.	3
9	Do 2″ do for anti-siphon	,,	12
10	Do $1\frac{1}{2}$″ and $1\frac{1}{4}$″ for waste	,,	4
11	Do $\frac{3}{4}$″ and $\frac{1}{2}$″ Do	,,	18
12	Making platform of Hindustani closet block with steps, etc., complete in cement mortar	,,	2
13	Providing 2″ brass screw cap and fixing with lead joints	,,	3
14	Providing and fixing $\frac{3}{4}$″ galvanised over-flow pipe with wall bore to outside	,,	7
15	Providing and fixing $\frac{1}{2}$″ S.D. stop cock (nickle plated)	,,	11
16	Do bib cocks do (nickle plated)	,,	4
17	Providing and fixing 3″ C.I. trap with grating, constructing cistern in cement mortar and providing and fixing 6″ dia. nickle plated gratings	,,	4
18	Constructing cistern in cement mortar and providing and fixing 6″ dia. C.I. grating	,,	4
19	Painting vent pipe including scaffolding	R.ft.	360
20	Wire-cut brick wall bore and re-doing in cement mortar	No.	8
21	Providing and laying $1\frac{1}{2}$″ G. I. pipe with fittings, wall bore, wall grooving and re-doing complete	R.ft.	90
22	Do 1″ galvanised submain, $\frac{3}{4}$″ and $\frac{1}{2}$″ branches with fittings upto fittings	Connections.	15
23	Providing and fixing $1\frac{1}{2}$″ G.M. gland cock (Heavy pattern)	No.	1
24	Do 1″ do	,,	1
25	Constructing ground sink with cement concrete and cement plastering with red ochre, if necessary	,,	4
26	Providing 1″ galvanised pipe with fittings, laying and jointing, etc., complete	R.ft.	120
27	Cornice bore and re-doing	No.	4
	Drainage arrangements.		
1	Providing 4″ S.W. pipe, laying and jointing in cement mortar, earthwork excavation, refilling, watering and tamping, etc., complete	R.ft.	220
2	Providing 6″×4″ S.W. gully trap with grating, constructing cistern in cement mortar and fixing trap	No.	2
3	Providing and fixing 12″×9″ C.I. hinged lid and frame	,,	2
4	Constructing manhole 3′ dia. inside including earthwork excavation, lime mortar concrete of 9″, brick in mortar 9″ thick wall, cement plastering, making drain and providing and fixing 21″ dia. C.I. manhole cover and frame upto 3′ depth	,,	2
5	Manhole bore and redoing in cement mortar	,,	2
6	Stone-wall bore and redoing and repairs, etc., below zinc sheet shed	,,	1

Notification dated 10th February 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M., on 8th March 1937, for providing sanitary fittings to the Central College House, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1937.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing

4. Each tender must be accompanied by a deposit of Rs. 50 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for providing sanitary fittings to Central College House, Bangalore," in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer in Mysore, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Health will be final and legally binding.

Approximate estimate of quantities of work for providing sanitary fittings to the Central College House, Bangalore.

No.	Particulars	Unit	Quantity
	Soil and waste connections.		
1	Providing 4" C. I. soil pipe with specials, such as bends, offsets and junctions, etc., laying and jointing with lead including scaffolding and other charges complete	R.ft.	180
2	Do 2" galvanised pipe with fittings as above	"	100
3	Providing and fixing 4" zinc cowls made with zinc sheet as per design	No.	4
4	Wall bore and redoing in chunam mortar	"	10
5	Cornice bore and redoing in lime mortar	"	12
6	Fixing water closet and lavatory set complete	"	9
7	Painting white enamel to all C. I. and pipe fittings	"	10
8	Providing $1\frac{1}{2}$" lead pipe, bending and fixing and making lead wiped solder joints	"	5
9	Do $\frac{3}{4}$" and $\frac{1}{2}$" do	"	15
10	Providing and fixing $\frac{1}{2}$" Nickle plated stop cocks	"	10
11	Removing and relaying flooring in mortar tiles and replacing damaged ones and cement pointing	S.ft.	100
12	Providing water connection to sanitary fittings with $\frac{3}{4}$" and $\frac{1}{2}$" galvanised pipe with fittings, including groving in wall and floor and wall bore, etc., complete	No.	9
13	Oil painting soil and waste pipe including scaffolding to suit building colour	R.ft.	280
14	Constructing cistern in cement mortar providing and fixing 6" dia. N. P. grating	No.	5
15	Providing and laying 2" galvanised pipe with fittings including groving in floor and redoing	R.ft.	40
	Drainage arrangements.		
1	Providing 6" stoneware pipes, laying and jointing them in cement mortar with earthwork excavation and refilling, watering and tamping and testing pipes, etc., complete	R.ft.	60
2	Do 4" do	"	184
3	Providing 6"×4" stoneware gully trap with grating, constructing cistern in cement mortar and fixing of trap	No.	5

No.	Particulars	Unit	Quantity
4	Providing and fixing 12″×9″ C. I. hinged lid and frame in cement mortar	No.	5
5	Constructing inspection chamber 18″×18″ inside with 6″ cement concrete bed, brick in cement mortar 9″ thick wall, ½″ cement plastering, making drain, providing and fixing 18″×18″ C. I. rectangular C. I. manhole cover and frame and including necessary earthwork, etc., complete	,,	4
6	Constructing manhole 3′ dia. inside 9″ cement concrete bed, brick in cement mortar 9″ thick walls, ½″ cement plastering, making drains, providing and fixing 21″ dia. cast iron manhole cover and frame of about 4′ height, necessary earthwork, etc., included	,,	1
7	Carting surplus earth	C.yd.	100
8	Constructing septic tank of 6′×3′×6′ inside below invert with 1′ lime concrete bed brick in mortar 9″ thick wall, cement plastering, covering slab 5″ to 6″ thick, providing inlet and outlet connections, and 21″ dia. C. I. manhole cover and frame, earthwork, etc., complete	No.	1
9	Excavating soakage pit 9′×5′×8′ below inlet with size stone rivetment around, filling jelly of different size about 2′ height, covering slab 5″ to 6″ thick, earthwork, etc., complete ..	,,	1

B. R. GARUDACHAR,
Sanitary Engineer.

WATER SUPPLY DIVISION, BANGALORE.

Notification dated 9th February 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Water Supply Division, up to 8th March 1937, for laying Water Supply main to New Mental Hospital, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1938.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees one hundred and fifty only (Rs. 150) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for laying Water Supply main to New Mental Hospital, Bangalore", in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more [illegible] will not be accepted.

Abstract estimate of work for laying water-supply main to New Mental Hospital, Bangalore.

Sl. No.	Items of work	Unit	Rate	Quantity
			Rs. a. p.	
	Labour 8" Line.			
1	Earthwork, excavating and back filling with watering and tamping	C.yds.	0 3 0	1,200
2	Laying and jointing 8" dia. C.I. pipes, including fixing specials, such as bends, collors, branches, etc., with cement joints	Each	1 2 0	320
3	Do do with lead joints	,,	2 10 0	110
4	Fixing 8" valves	,,	2 0 0	4
5	Constructing valve cisterns 6'×6'×4'	,,	60 0 0	4
6	Providing masonry supports at valley crossing	,,		(L. S. Rs. 200)
	6" Line.			
1	Earthwork,excavating and refilling including watering and tamping	C.yds.	0 3 0	2,150
2	Laying and jointing 6" dia. C.I. pipes, including fixing specials such as bends, collars, branches, with cement joints	Each	1 0 0	417
3	Do do lead joints	,,	2 2 0	143
4	Constructing valve cisterns (6'×6'×4')	,,	60 0 0	4
5	Fixing 6" valves	,,	2 0 0	3
6	Providing masonry supports at valley crossing	,,		(L. S. Rs. 200)

Notice dated 10th February 1937.

It is hereby notified that about 3,000 empty Alum Bags will be auctioned at the Workshop premises of Chamaraj Sagar and Water Works, Thippagondanhalli, on 1st March 1937 between 9 A.M. and 12 NOON. Intending purchasers may attend the auction on 1st March 1937. The full amount of the bid will have to be credited by the successful bidder at the Chamaraja Sagar and Water Works Sub-Division Office before the bags are removed. All the bags must be removed within three days from the date of auction.

V. GANESHA IYER,
Executive Engineer.

BUILDINGS DIVISION, BANGALORE.

Abstract Notification dated 26th January 1937.

The attention of the public is invited to the detailed notification published in page 157 of Part VI of the *Mysore Gazette*, dated 4th February 1937, regarding the auction of scrap machinery and boilers of Medical School, Fort, Bangalore.

N. KRISHNIENGAR,
Executive Engineer.

BANGALORE DIVISION.

Abstract Notification dated 29th January 1937.

The attention of the public is hereby invited to the detailed notification inviting tenders for improving the Government Industrial School at Channapatna published on pages 157-159 of Part VI of the *Mysore Gazette*, dated 4th February 1937.

The last date for the receipt of the tenders is 2 P.M. on 23rd February 1937 and the earnest money to accompany the tender is Rs. 200.

N. SUBBA RAO,

KOLAR DIVISION.

Abstract Notification dated 8th February 1937.

The attention of the public is invited to the Notification on pages 210-211, Part VI of the issue of *Mysore Gazette*, dated 11th February 1937, calling for tenders for the work of constructing Combined Range Officer's Quarters and Office at Malur.

The last date fixed for the receipt of tenders in this office is 2 P.M., on 2nd March 1937.

An earnest money of Rs. 150 should accompany each tender.

Notification dated 10th February 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 2 P.M. on 10th March 1937, for restoring Mirapalli Chinnapothalaiyanakunte, Minor tank, Register No. 412, Mittemari Hobli, Bagepalli Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Kolar, between the hours of 11 A.M. and 5 P.M. on office days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 150 in cash as earnest money and be superscribed "Tender for restoring Mirapalli Chinnapothalaiyanakunte, Minor tank, Register No. 412, Mittemari Hobli, Bagepalli Taluk," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, Kolar, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, furnishing a Security Deposit of Rs. 300, in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. Progress to the extent of Rs. 1,000 has to be shown every month.

Abstract estimate for restoring Mirapalli Chinnapothalaiyanakunte, Minor Tank, Register No. 412, Mittemari Hobli, Bagepalli Taluk.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
	I. Bund at R. L. 56.00. Top width 4½ feet, Front slope 2½ : 1 and rear slope 2 : 1.				
1	Jungle clearing and removing ant hills and filling them with sand	Grade	2 0 0	14	
2	Cutting grips and steps	,,	1 8 0	14	
3	Earthwork to bund with watering and consolidation	C.yds.	0 3 0	5,600	
4	Turfing	S.yds.	0 0 9	3,600	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
5	Removing and resetting old stone revetment with new jelly	C.yd.	0 8 0	100	
6	New rough stone pitching 6" to 9" in thickness .	S.yd.	0 6 0	1,300	
7	Providing and fixing new grade stones including figuring and painting, etc.	Each	1 8 0	14	
8	Do Index stones do ..	,,	0 6 0	14	
9	Do Register No. and Date stone do	,,	3 0 0	1	
10	Do B. M. stones do ..	,,	2 8 0	2	
11	Do Gauge stones do ..	,,	15 0 0	1	
	II. Constructing a Cast Iron Pipe Sluice 6" in diameter at sy R. L. 45·00.				
1	Earthwork cut opening the bund and refilling with consolidation	C.yd.	0 5 0	61	
2	Earthwork excavation	C.yd.	0 3 0	24	
3	Burnt stone jelly concrete in surki mortar ..	C.ft.	0 4 0	157	
4	Size stone in surki mortar	,,	0 5 0	479	
5	Burnt stone slabs 6" thick dressed and fixed ..	S.ft.	0 5 0	104	
6	Pointing with cement mortar	Sqr.	3 12 0	5·08	
7	Providing and fixing plug and rod with locking arrangements		Lumpsum		
8	Drilling holes in slabs	Each	0 8 0	4	
9	Providing and fixing cast iron pipes 6" diameter with Railway Freight, Cart hire, etc., complete	R.ft.	3 0 0	24	
10	Removing and resetting revetment with new jelly	C.yd.	0 8 0	20	
	III. Constructing a dry stone weir at R. L. 52·00, 160 feet long.				
1	Draft and approach clearing and putting the soil to bund with watering and consolidation	C.yd.	0 4 0	300	
2	Earthwork excavation in gravelly soil ..	,,	0 4 0	81	
3	New stone work (Rough).	,,	1 8 0	164	
4	Excavation in soft rock	,,	0 10 0	148	
5	Ramping with earth	,,	0 1 0	71	

P. RAJAGOPALAN,
Executive Engineer.

MYSORE DIVISION.

Notification dated 12th February 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Mysore Division, up to 2 P.M. of 6th March 1937, for restoration of Lakkenahalli Tank, Nagamangala Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Mysore, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees nine hundred in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Restoration of Lakkenahalli Tank, Nagamangala Taluk" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for restoring Lakkenahalli Tank, Nagamangala Taluk.

No.	Items of work	Per	Rate	Quantity	Cost
	Bund and Breach.		Rs. a. p.		Rs. a. p.
1	Removing grass, etc., and cutting grips for new work	Grade	1 0 0	19	19 0 0
2	Earthwork to bund in breach with mixture of clay and gravel including consolidating etc., complete. ($\frac{1}{3}$ gravel and $\frac{2}{3}$ clay)	C.yd.	0 5 6	8,312	2,857 0 0
3	Puddle wall	,,	0 8 0	691	345 0 0
4	Burnt brick in surki mortar	C.ft.	0 5 0	1,306	408 0 0
5	Jelly concrete in surki mortar	,,	0 4 0	301	75 0 0
6	Benching rock for seat of masonry	S.ft.	0 8 0	480	240 0 0
7	Earthwork to bund with watering and tamping, etc.,	C.yd.	0 4 0	15,014	3,753 0 0
7	(*a*) Consolidation charges for earth available from draft clearing	,,	0 1 0	931	58 0 0
8	Rough stone revetment new with jelly backing	,,	1 12 0	3,333	5,833 0 0
9	Gravel backing to revetment	,,	0 8 0	1,419	709 0 0
10	Turfing	Sqr.	0 10 0	610	381 0 0
11	Providing grade stones including cutting figures and painting, etc.,	Each	1 8 0	19	28 0 0
12	Index stones	,,	0 8 0	19	10 0 0
13	Providing gauge stones including cutting figures and painting	,,	15 0 0	1	15 0 0
14	Providing Registered No. and date stone	,,	3 0 0	1	3 0 0
15	Do B. M. stones	,,	3 0 0	2	6 0 0
16	Clearing sand and silt in hall	C.yd.	0 2 0	1,473	184 0 0
17	Earthwork excavation hard gravelly soil and using the same for bund	,,	0 4 0	95	24 0 0
18	Rough plastering with surki mortar	S.qr.	3 0 0	18·20	55 0 0
	Sluice at R.L. 44·00.				
1	Earthwork excavation	C.yd.	0 3 0	23	4 0 0
2	Concrete in surki mortar	C.ft.	0 4 0	165	41 0 0
3	Burnt brick in surki mortar	,,	0 5 0	620	194 0 0
4	Burnt stone slabs dressed and fixed in surki mortar, 6" thick	S.ft.	0 8 0	84	42 0 0

No.	Items of work	Per	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
5	Surki mortar plastering	Sqr.	4 0 0	1.28	5 0 0
6	Fixing C. I. Pipes	R.ft.	2 12 0	33	91 0 0
7	Cutting holes in slabs guide and orifice	Each	0 8 0	4	2 0 0
8	Providing and fixing jelly wood plug with iron rod and locking arrangements	lump	sum	..	20 0 0
9	Filling in excavation with watering and tamping, etc., complete	C.yd.	0 2 0	8	1 0 0
	Constructing right waste weir at R.L. 51·50.				
1	Earthwork excavating foundation and using ordinary soil	„	0 3 0	836	157 0 0
2	Jelly concrete in surki mortar	C.ft.	0 4 0	825	206 0 0
3	Burnt brick in surki mortar	„	0 5 0	1,976	617 0 0
4	Plastering with surki mortar	Sqr.	4 0 0	23·96	96 0 0
5	Burnt stone slabs 6″ thick dressed and fixed in surki mortar	S.ft.	0 8 0	15	8 0 0
6	Cement plastering 1″ thick	Sqr.	15 0 0	4·28	63 0 0
7	Rough stone work new with jelly packing, etc., complete	C.yd.	1 12 0	86	150 0 0

R. TIPPAIYA,
Executive Engineer.

MISCELLANEOUS DEPARTMENTS

OFFICE OF THE SUPERINTENDENT, GOVERNMENT PRINTING IN MYSORE, BANGALORE.

Notice dated 12th February 1937.

The articles noted below will be sold by public auction at the Government Central Press premises, Bangalore, by the Superintendent, Government Printing, Bangalore, or his authorised representative, on Friday the 5th March 1937, commencing at 2 P.M.

2. The highest bidder will be the purchaser. But if proper bids are not forthcoming, the articles will not be knocked down. The purchase value of the articles should be paid immediately after the sale is effected, failing which, the articles will be resold at the risk of the original purchaser who shall make good the loss, if any, between the original price and the sum realised by the second sale, but shall not participate in the profit, if any.

3. The articles purchased are to be at the risk of the purchaser thereof from the time of sale, after which, the Government Press does not take any responsiblity for their safety :—

Sl. No.	Description	Lot No.
1	Hand cart with two wheels and 9 parts (clamps 4, Handle 1, Axle 1, Nail 1 and Handle bars 2.)	1
2	Type cases English, 21 pairs	2
3	Empty four-gallon tins 48	3—6
4	Mallets 17, Brushes 35, Shooting sticks 30 and Planers 9	7
5	Zinc buckets 2, Bodkins 4 and Oil cans 2	8
6	Files 13, Drawer lock 1, and worn out Engraving tools 22	9
7	Lead and rule cutters 2	10
8	Brass Kettles 3, Copper Kettle 1 and Enamel Kettles 2	11
9	Empty bottles 33	12
10	Leather Pieces about 21 lbs.	13
11	Printing Ink (Waste) 4 tins	14
12	Table Vice 1	15
13	Empty one gallon tins 16	16